




7		8	
REV:	ECN. NO.	NAME	DATE



NOTES:

- MATERIAL:  
CAGE: COPPER ALLOY, THICKNESS 0.25mm  
LIGHT PIPE: CLEAR POLYCARBONATE
- PACKAGING: TRAY PACKAGING
- TEMPERATURE RANGE:  
OPERATING : -40°C TO +85°C  
NON OPERATING : -55°C TO +105°C


GENERAL TOLERANCE .X±0.20    .X±1° .XX±0.15    .XX±5° .XXX±0.10		<b>VITALCON</b> a vital connector company		FOR YOUR VITAL CONNECTION	
DRAWN BY: Zou Long		TITLE: SFP 1X1 CAGE		PART NO: S1N3122006NA4	
CHECKED BY: Bob		SIZE: A4		UNIT:mm	
APPROVED BY: QPF		PROJECTION		SHEET:1 OF 4	
				FCN: A4	
				http://www.vitalconn.com	

For technical support, please send an email to [support@vitalconn.com](mailto:support@vitalconn.com)





7		8	
REV:	ECN. NO.	NAME	DATE



RECOMMENDED BEZEL DESIGN


GENERAL TOLERANCE .X±0.20    .X±1° .XX±0.15    .XX±5° .XXX±0.10				FOR YOUR VITAL CONNECTION	
TITLE:		SFP 1X1 CAGE			
DRAWN BY:	Zou Long	PART NO:	S1N3122006NA4	REV: A	
CHECKED BY:	Bob	SIZE: A4	UNIT:mm	SHEET:3 OF 4	FCN: A4
APPROVED BY:	QPF	PROJECTION		<a href="http://www.vitalconn.com">http://www.vitalconn.com</a>	

For technical support, please send an email to [support@vitalconn.com](mailto:support@vitalconn.com)




7		8	
REV:	ECN. NO.	NAME	DATE


PACKAGE INFORMATION AND LABEL




1. PRODUCTS IN TRAYS



2. TRAYS OVERLAY:  
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND PUT IT ON PREVIOUS TRAY.)  
(相邻两个吸塑间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR TRAYS:



4. LABEL & PACKAGING TAPES FOR BOX

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	264 PCS
TRAY	8 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)

GENERAL TOLERANCE .X±0.20    .X±1° .XX±0.15    .XX±5° .XXX±0.10		<b>VITALCONN</b> a vital connector company		FOR YOUR VITAL CONNECTION	
DRAWN BY: Zou Long		TITLE: SFP 1X1 CAGE		REV: A	
CHECKED BY: Bob		PART NO: S1N3122006NA4		FCN: A4	
APPROVED BY: QPF		SIZE: A4		UNIT:mm	
		PROJECTION		SHEET:4 OF 4	
				http://www.vitalconn.com	

For technical support, please send an email to support@vitalconn.com