








7		8	
REV:	ECN. NO.	NAME	DATE



LASER BEAM WELDING POINT



NOTES:

1.MATERIAL:

CAGE : COPPER ALLOY, THICKNESS 0.25mm,30u" MIN. NI-PLATED.  
PCB GASKET : RF ABSORBER.

2.PACKAGING: TRAY PACKAGING

3.TEMPERATURE RANGE:

OPERATING : -40°C TO +85°C  
NON OPERATING : -55°C TO +105°C

GENERAL TOLERANCE

.X±0.20 .X±1°  
.XX±0.15 .XX±5°  
.XXX±0.10



FOR YOUR VITAL CONNECTION

TITLE:

SFP28 1X1 CAGE

DRAWN BY:

Zou Long

PART NO:

S7N3112000NA4

REV: A

CHECKED BY:

Bob

SIZE: A4

UNIT:mm

SHEET:1 OF 4

FCN: A4

For technical support, please send an email to [support@vitalconn.com](mailto:support@vitalconn.com)

APPROVED BY:

QPF


PROJECTION



<http://www.vitalconn.com>



7		8	
REV:	ECN. NO.	NAME	DATE



RECOMMENDED PCB CONFIGURATION

NOTES:


- 1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- 2. PADS AND VIAS ARE CHASSIS GROUND,
- 3. THRU HOLES, PLATING OPTIONAL

For technical support, please send an email to [support@vitalconn.com](mailto:support@vitalconn.com)

GENERAL TOLERANCE .X±0.20    .X±1° .XX±0.15    .XX±5° .XXX±0.10		<b>VITALCON</b> a vital connector company		FOR YOUR VITAL CONNECTION	
DRAWN BY: Zou Long		TITLE: SFP28 1X1 CAGE		PART NO: S7N3112000NA4	
CHECKED BY: Bob		UNIT:mm		REV: A	
APPROVED BY: QPF		PROJECTION		SHEET:2 OF 4	
				FCN: A4	
				http://www.vitalconn.com	



7		8	
REV:	ECN. NO.	NAME	DATE



SECTION A-A

RECOMMENDED BEZEL DESIGN

NOTES:  
 ⚠ MINIMUM PITCH ILLUSTRATED, ENGLISH DIMENSIONS ARE FOR REFERENCE ONLY


For technical support, please send an email to [support@vitalconn.com](mailto:support@vitalconn.com)

GENERAL TOLERANCE .X±0.20    .X±1° .XX±0.15    .XX±5° .XXX±0.10		<b>VITALCON</b> a vital connector company		FOR YOUR VITAL CONNECTION	
DRAWN BY: Zou Long		TITLE: SFP28 1X1 CAGE		REV: A	
CHECKED BY: Bob		PART NO: S7N3112000NA4		FCN: A4	
APPROVED BY: QPF		SIZE: A4		UNIT:mm	
		PROJECTION		SHEET:3 OF 4	
				<a href="http://www.vitalconn.com">http://www.vitalconn.com</a>	




7		8	
REV:	ECN. NO.	NAME	DATE


PACKAGE INFORMATION AND LABEL




1. PRODUCTS IN TRAYS



2. TRAYS OVERLAY:  
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND PUT IT ON PREVIOUS TRAY.)  
(相邻两个吸塑间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR TRAYS:



4. LABEL & PACKAGING TAPES FOR BOX

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	352 PCS
TRAY	8 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)

GENERAL TOLERANCE .X±0.20    .X±1° .XX±0.15    .XX±5° .XXX±0.10		<b>VITALCON</b> a vital connector company		FOR YOUR VITAL CONNECTION	
DRAWN BY: Zou Long		TITLE: SFP28 1X1 CAGE		REV: A	
CHECKED BY: Bob		PART NO: S7N3112000NA4		FCN: A4	
APPROVED BY: QPF		SIZE: A4		UNIT:mm	
PROJECTION				SHEET:4 OF 4	
				http://www.vitalconn.com	

For technical support, please send an email to support@vitalconn.com