




7		8	
REV:	ECN. NO.	NAME	DATE

NOTES:

- 1.MATERIAL:
CAGE: COPPER ALLOY, THICKNESS 0.25mm
LIGHT PIPE: CLEAR POLYCARBONATE
- 2.PACKAGING: TRAY PACKAGING
- 3.TEMPERATURE RANGE:
OPERATING : -40°C TO +85°C
NON OPERATING : -55°C TO +105°C



GENERAL TOLERANCE
.X±0.20 .X±1°
.XX±0.15 .XX±5°
.XXX±0.10



FOR YOUR
VITAL CONNECTION

TITLE:

SFP+ 1X1 CAGE

DRAWN BY: Zou Long

PART NO:

S2N3122006NA4

REV: A

CHECKED BY: Bob

SIZE: A4

UNIT:mm

SHEET:1 OF 4

FCN: A4

For technical support, please send an email to support@vitalconn.com

APPROVED BY: QPF



PROJECTION



<http://www.vitalconn.com>



7		8	
REV:	ECN. NO.	NAME	DATE



RECOMMENDED BEZEL DESIGN


For technical support, please send an email to support@vitalconn.com

GENERAL TOLERANCE .X±0.20 .X±1° .XX±0.15 .XX±5° .XXX±0.10				FOR YOUR VITAL CONNECTION	
TITLE:		SFP+ 1X1 CAGE			
DRAWN BY:	Zou Long	PART NO:	S2N3122006NA4	REV: A	
CHECKED BY:	Bob	SIZE: A4	UNIT:mm	SHEET:3 OF 4	FCN: A4
APPROVED BY:	QPF	PROJECTION		http://www.vitalconn.com	




7		8	
REV:	ECN. NO.	NAME	DATE


PACKAGE INFORMATION AND LABEL



1. PRODUCTS IN TRAYS




2. TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND PUT IT ON PREVIOUS TRAY.)
(相邻两个吸塑间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR TRAYS:

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	220 PCS
TRAY	5 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)



4. LABEL & PACKAGING TAPES FOR BOX

For technical support, please send an email to support@vitalconn.com

GENERAL TOLERANCE .X±0.20 .X±1° .XX±0.15 .XX±5° .XXX±0.10		VITALCONN a vital connector company		FOR YOUR VITAL CONNECTION	
DRAWN BY: Zou Long		TITLE: SFP+ 1X1 CAGE		REV: A	
CHECKED BY: Bob		PART NO: S2N3122006NA4		FCN: A4	
APPROVED BY: QPF		SIZE: A4		UNIT:mm	
		PROJECTION		SHEET:4 OF 4	
				http://www.vitalconn.com	