









REV:	ECN. NO.	NAME	DATE

NOTES:
 1.MATERIAL:
 CAGE: COPPER ALLOY, 30u" Ni PLATED
 THICKNESS 0.25mm
 HEAT SINK : ALUMINUM(SURFACE TREATMENT:
 BLACK OXIDE)
 CLIP: STAINLESS STEEL
 2.PACKAGING: TRAY PACKAGING
 3.TEMPERATURE RANGE: -55°C TO +85°C



THE LEFT AND RIGHT SIDE REED SHAPES AND DIMENSIONS ARE THE SAME AS THE REED




TOLERANCE UNSPECIFIED		 a vital connector company		FOR YOUR VITAL CONNECTION	
.0	±0.38			TITLE: SFP+ 1X1 CAGE,HEAT SINK	
.00	±0.25	DRAWN BY: QSY		PART NO: S2N312B052NA4	
.000	±0.10	CHECKED BY: VIT		REV: A	
ANGLE	±2.00°	APPROVED BY: QPF		SIZE: A4	
MANUFACTURING COPY		PROJECTION		UNIT:mm	
				SHEET: 1 OF 4	
				FCN: A4	
				http://www.vitalconn.com	

For technical support, please send an email to support@vitalconn.com



7	8
REV:	ECN. NO.
NAME	DATE

NOTES:
 ▲ MINIMUM PITCH ILLUSTRATED, ENGLISH DIMENSIONS ARE FOR REFERENCE ONLY



RECOMMENDED BEZEL DESIGN

SECTION A-A

TOLERANCE UNSPECIFIED	
.0	±0.38
.00	±0.25
.000	±0.10
ANGLE	±2.00°
MANUFACTURING COPY	



FOR YOUR VITAL CONNECTION


TITLE:		SFP+ 1X1 CAGE, HEAT SINK	
DRAWN BY:	QSY	PART NO:	S2N312B052NA4
CHECKED BY:	VIT	SIZE: A4	UNIT:mm
APPROVED BY:	QPF	PROJECTION	http://www.vitalconn.com

For technical support, please send an email to support@vitalconn.com



7	8
REV:	ECN. NO.
NAME	DATE

PACKAGE INFORMATION AND LABEL



PACKING QUANTITY : 35 PCS FINISHED GOODS PER TRAY

8 TRAYS (280 PCS FINISHED GOODS) PER CARTON BOX

TOLERANCE UNSPECIFIED				FOR YOUR VITAL CONNECTION	
.0	±0.38			TITLE: SFP+ 1X1 CAGE,HEAT SINK	
.00	±0.25	DRAWN BY: QSY		PART NO: S2N312B052NA4	
.000	±0.10	CHECKED BY: VIT		REV: A	
ANGLE ±2.00°		APPROVED BY: QPF		SIZE: A4	
MANUFACTURING COPY		PROJECTION		UNIT:mm	
				SHEET: 4 OF 4	
				FCN: A4	
				http://www.vitalconn.com	

For technical support, please send an email to support@vitalconn.com