







7	8
REV:	ECN. NO.
NAME	DATE



NOTES:  
 1.MATERIAL: COPPER ALLOY, THICKNESS 0.25mm, NI-PLATED  
 2.PACKAGING: TRAY PACKAGING  
 3.TEMPERATURE RANGE: -55°C TO +85°C

TOLERANCE UNSPECIFIED		 <b>VITALCON</b> a vital connector company		FOR YOUR VITAL CONNECTION	
.0	±0.38			TITLE: SFP+1*1 CAGE WITH GROUNDING PIN	
.00	±0.25	DRAWN BY: QSY		PART NO: S2N31Y0100NA4	
.000	±0.10	CHECKED BY: VIT		REV: A	
ANGLE	±2.00°	APPROVED BY: QPF		UNIT:mm	
MANUFACTURING COPY		PROJECTION		SHEET: 1 OF 4	
				FCN: A4	
				 <a href="http://www.vitalconn.com">http://www.vitalconn.com</a>	

For technical support, please send an email to [support@vitalconn.com](mailto:support@vitalconn.com)


A  
B  
C  
D  
E  
F

A  
B  
C  
D  
E  
F

1 2 3 4 5 6 7 8



REV:	ECN. NO.	NAME	DATE



CROSS-HATCHED AREA DENOTES COMPONENT AND TRACE KEEP-OUT (EXCEPT CHASSIS GROUND)

THIS AREA DENOTES COMPONENT KEEP-OUT (TRACES ALLOWED)

RECOMMENDED PCB CONFIGURATION

NOTES:


- 1 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- 2 PADS AND VIAS ARE CHASSIS GROUND, 11 PLACES
- 3 THRU HOLES, PLATING OPTIONAL

TOLERANCE UNSPECIFIED		 <b>VITALCON</b> a vital connector company		FOR YOUR VITAL CONNECTION	
.0	±0.38				
.00	±0.25	TITLE:		SFP+1*1 CAGE WITH GROUNDING PIN	
.000	±0.10	DRAWN BY: QSY		PART NO: S2N31Y0100NA4	
ANGLE	±2.00°	CHECKED BY: VIT		REV: A	
MANUFACTURING COPY		APPROVED BY: QPF		SIZE: A4	
		PROJECTION		UNIT:mm	
				SHEET: 2 OF 4	
				FCN: A4	
				<a href="http://www.vitalconn.com">http://www.vitalconn.com</a>	

For technical support, please send an email to [support@vitalconn.com](mailto:support@vitalconn.com)



7	8
REV:	ECN. NO.
NAME	DATE



SECTION A-A

RECOMMENDED BEZEL DESIGN

NOTES:  
 ▲ MINIMUM PITCH ILLUSTRATED, ENGLISH DIMENSIONS ARE FOR REFERENCE ONLY


TOLERANCE UNSPECIFIED		 <b>VITALCON</b> a vital connector company		FOR YOUR VITAL CONNECTION	
.0	±0.38			TITLE: SFP+1*1 CAGE WITH GROUNDING PIN	
.00	±0.25	PART NO: S2N31Y0100NA4		REV: A	
.000	±0.10	SIZE: A4		UNIT:mm	SHEET: 3 OF 4
ANGLE	±2.00°	PROJECTION		FCN: A4	
MANUFACTURING COPY		APPROVED BY: QPF		 <a href="http://www.vitalconn.com">http://www.vitalconn.com</a>	

For technical support, please send an email to [support@vitalconn.com](mailto:support@vitalconn.com)




REV:	ECN. NO.	NAME	DATE


PACKAGE INFORMATION AND LABEL



1. PRODUCTS IN TRAYS




2. TRAYS OVERLAY:  
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND PUT IT ON PREVIOUS TRAY.)  
(相邻两个托盘间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR TRAYS:

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	352 PCS
TRAY	8 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)



4. LABEL & PACKAGING TAPES FOR BOX

TOLERANCE UNSPECIFIED .0 ±0.38 .00 ±0.25 .000 ±0.10 ANGLE ±2.00° MANUFACTURING COPY		 a vital connector company		FOR YOUR VITAL CONNECTION	
DRAWN BY: QSY		TITLE: SFP+1*1 CAGE WITH GROUNDING PIN		REV: A	
CHECKED BY: VIT		PART NO: S2N31Y0100NA4		FCN: A4	
APPROVED BY: QPF		SIZE: A4		UNIT:mm SHEET: 4 OF 4	
PROJECTION				<a href="http://www.vitalconn.com">http://www.vitalconn.com</a>	

For technical support, please send an email to [support@vitalconn.com](mailto:support@vitalconn.com)