








7	8
REV:	ECN. NO.
NAME	DATE




NOTES:
 1.MATERIAL: COPPER ALLOY, THICKNESS 0.25mm, NI-PLATED
 2.PACKAGING: TRAY PACKAGING
 3.TEMPERATURE RANGE: -55°C TO +85°C

TOLERANCE UNSPECIFIED				FOR YOUR VITAL CONNECTION	
.0	±0.38				
.00	±0.25	TITLE:		SFP+1*1 CAGE WITH GROUNDING PIN	
.000	±0.10	DRAWN BY: QSY		PART NO: S2N31Y5100NA4	
ANGLE	±2.00°	CHECKED BY: VIT		REV: A	
MANUFACTURING COPY		APPROVED BY: QPF		FCN: A4	
		PROJECTION		UNIT:mm	
				SHEET: 1 OF 4	
				http://www.vitalconn.com	

For technical support, please send an email to support@vitalconn.com



REV:	ECN. NO.	NAME	DATE



RECOMMENDED PCB CONFIGURATION

NOTES:


- 1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- 2. PADS AND VIAS ARE CHASSIS GROUND, 11 PLACES
- 3. THRU HOLES, PLATING OPTIONAL

TOLERANCE UNSPECIFIED		 VITALCON a vital connector company		FOR YOUR VITAL CONNECTION	
.0	±0.38				
.00	±0.25	TITLE:		SFP+1*1 CAGE WITH GROUNDING PIN	
.000	±0.10	DRAWN BY: QSY		PART NO: S2N31Y5100NA4	
ANGLE ±2.00°		CHECKED BY: VIT		REV: A	
MANUFACTURING COPY		APPROVED BY: QPF		SIZE: A4	
		PROJECTION		UNIT:mm	
				SHEET: 2 OF 4	
				FCN: A4	
				http://www.vitalconn.com	

For technical support, please send an email to support@vitalconn.com



7	8
REV:	ECN. NO.
NAME	DATE



SECTION A-A

RECOMMENDED BEZEL DESIGN

NOTES:
 ▲ MINIMUM PITCH ILLUSTRATED, ENGLISH DIMENSIONS ARE FOR REFERENCE ONLY


For technical support, please send an email to support@vitalconn.com

TOLERANCE UNSPECIFIED		 VITALCON a vital connector company		FOR YOUR VITAL CONNECTION	
.0	±0.38			TITLE: SFP+1*1 CAGE WITH GROUNDING PIN	
.00	±0.25	DRAWN BY: QSY		PART NO: S2N31Y5100NA4	
.000	±0.10	CHECKED BY: VIT		REV: A	
ANGLE	±2.00°	APPROVED BY: QPF		SIZE: A4	UNIT:mm
MANUFACTURING COPY		PROJECTION		SHEET: 3 OF 4	FCN: A4
				 http://www.vitalconn.com	




REV:	ECN. NO.	NAME	DATE


PACKAGE INFORMATION AND LABEL



1. PRODUCTS IN TRAYS




2. TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND PUT IT ON PREVIOUS TRAY.)
(相邻两个吸盘向水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR TRAYS:

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	352 PCS
TRAY	8 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)



4. LABEL & PACKAGING TAPES FOR BOX

TOLERANCE UNSPECIFIED .0 ±0.38 .00 ±0.25 .000 ±0.10 ANGLE ±2.00° MANUFACTURING COPY		 a vital connector company		FOR YOUR VITAL CONNECTION	
DRAWN BY: QSY		TITLE: SFP+1*1 CAGE WITH GROUNDING PIN		REV: A	
CHECKED BY: VIT		PART NO: S2N31Y5100NA4		FCN: A4	
APPROVED BY: QPF		SIZE: A4		UNIT:mm SHEET: 4 OF 4	
PROJECTION				http://www.vitalconn.com	

For technical support, please send an email to support@vitalconn.com