








7		8	
REV:	ECN. NO.	NAME	DATE

NOTES:

- MATERIAL:
CAGE: COPPER ALLOY, THICKNESS 0.25mm
LIGHT PIPE: CLEAR POLYCARBONATE
- PACKAGING: TRAY PACKAGING
- TEMPERATURE RANGE:
OPERATING : -40°C TO +85°C
NON OPERATING : -55°C TO +105°C



GENERAL TOLERANCE
.X±0.20 .X±1°
.XX±0.15 .XX±5°
.XXX±0.10



FOR YOUR
VITAL CONNECTION

TITLE: SFP+ 1X1 CAGE WITH GROUNDING PIN



DRAWN BY: Zou Long PART NO: S2N312B007NA4 REV: A

CHECKED BY: Bob SIZE: A4 UNIT:mm SHEET:1 OF 4 FCN: A4

For technical support, please send an email to support@vitalconn.com APPROVED BY: QPF PROJECTION <http://www.vitalconn.com>



7		8	
REV:	ECN. NO.	NAME	DATE



RECOMMENDED BEZEL DESIGN

GENERAL TOLERANCE
 .X±0.20 .X±1°
 .XX±0.15 .XX±5°
 .XXX±0.10



FOR YOUR
VITAL CONNECTION

TITLE: SFP+ 1X1 CAGE WITH GROUNDING PIN

DRAWN BY: Zou Long PART NO: S2N312B007NA4 REV: A


CHECKED BY: Bob SIZE: A4 UNIT:mm SHEET:3 OF 4 FCN: A4

For technical support, please send an email to support@vitalconn.com APPROVED BY: QPF PROJECTION <http://www.vitalconn.com>



7		8	
REV:	ECN. NO.	NAME	DATE

PACKAGE INFORMATION AND LABLE




1. PRODUCTS IN TRAYS

2. TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND PUT IT ON PREVIOUS TRAY.)
(相邻两个吸塑间水平方向成180度摆放)

3. LABEL & PACKAGING TAPES FOR TRAYS:

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	220 PCS
TRAY	5 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)



4. LABEL & PACKAGING TAPES FOR BOX

GENERAL TOLERANCE .X±0.20 .X±1° .XX±0.15 .XX±5° .XXX±0.10		VITALCON a vital connector company		FOR YOUR VITAL CONNECTION	
DRAWN BY: Zou Long		TITLE: SFP+ 1X1 CAGE WITH GROUNDING PIN		REV: A	
CHECKED BY: Bob		PART NO: S2N312B007NA4		FCN: A4	
APPROVED BY: QPF		SIZE: A4		UNIT:mm	
		PROJECTION		SHEET:4 OF 4	
				http://www.vitalconn.com	

For technical support, please send an email to support@vitalconn.com