









1	2	3	4	5	6	7		8	
						REV:	ECN. NO.	NAME	DATE
						A0	----	-----	04-29-2026



APPLICABLE FPC RECOMMENDED DIMENSION
一体覆膜FPC线




APPLICABLE FPC RECOMMENDED DIMENSION
贴铝箔FPC线

	MILLIMETERS		INCH		VITALCONN a vital connector company		FOR YOUR VITAL CONNECTION			
	X.° ±1°	X.° ±2°								
	.X ±0.20	.X ±0.008			TITLE:	ZIF FPC 1.00PITCH 2.1HIGH,30Pin,ASSEMBLY				
	.XX ±0.15	.XX ±0.006								
	.XXX ±0.10	.XXX ±0.004								
DRAWN BY:		Zou Long		PART NO:	F10011FA030M1WLJ9		SHEET:	1 OF 3	REV: A0	
CHECKED BY:		Bob		DWG NO:	VTC-TZ-J9-014		SIZE: A4	UNIT:mm	FCN: J9	
For technical support, please send an email to support@vitalconn.com				APPROVED BY:	QPF	PROJECTION:			http://www.vitalconn.com	

For technical support, please send an email to support@vitalconn.com

F

6. PEELING SPEED: 300 mm/min.



<http://www.vitalconn.com>

8