







NOTES:
MATERIAL:
CAGE: COPPER ALLOY 30u" MIN NI-PLATED, THICKNESS 0.25 MM
CONNECTOR:
PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.
LIGHT PIPE: POLYCARBONATE; COLOR: CLEAR
SPRING: STAINLESS STEEL
CONTACTS: PHOSPHOR BRONZE
CONTACT PLATING: 15u" MIN. GOLD ON MATING AREA,
150u" MATTE TIN ON SOLDER TAILS
PACKAGING: TRAY PACKAGING.
OPERATING TEMPERATURE: -40°C TO +85°C
STORAGE TEMPERATURE: -55°C TO +105°C



DETAIL A
1:1



CONNECTOR PIN-OUT
COMPONENT SIDE OF BOARD

GENERAL TOLERANCE
.X±0.20 .X±1°
.XX±0.15 .XX±5°
.XXX±0.10

VITALCON
a vital connector company

FOR YOUR
VITAL CONNECTION

TITLE:

SFP+ 2X8 CAGE+CONNECTOR

DRAWN BY:

Zou Long

PART NO:

S202H23004BA4

REV: A

CHECKED BY:

Bob

SIZE: A4

UNIT:mm


SHEET:1 OF 4

FCN: A4

APPROVED BY:

QPF

PROJECTION




<http://www.vitalconn.com>

For technical support, please send an email to support@vitalconn.com



REV:	ECN. NO.	NAME	DATE




RECOMMENDED PCB CONFIGURATION


NOTES:

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. 1.05 mm DIAMETER HOLES ARE CHASSIS GROUND.

THE ENTIRE AREA OF THE CONNECTOR FOOTPRINT TO BE CONSIDERED THE KEEP OUT AREA FOR COMPONENTS (OTHER THAN LIGHT PIPE LED'S) THIS AREA IS INDICATED BY THE DASHED LINE



DETAIL H
2:1



DETAIL LIGHT PIPE LOCATION AND OTHER ZONES
DETAIL K
2:1

GENERAL TOLERANCE
.X±0.20 .X±1°
.XX±0.15 .XX±5°
.XXX±0.10


VITALCON
a vital connector company

FOR YOUR
VITAL CONNECTION

TITLE: SFP+ 2X8 CAGE+CONNECTOR

DRAWN BY: Zou Long PART NO: S202H23004BA4 REV: A



CHECKED BY: Bob SIZE: A4 UNIT:mm SHEET:2 OF 4 FCN: A4

APPROVED BY: QPF PROJECTION  <http://www.vitalconn.com>

For technical support, please send an email to support@vitalconn.com



REV:	ECN. NO.	NAME	DATE



RECOMMENDED BEZEL DESIGN

GENERAL TOLERANCE
.X±0.20 .X±1°
.XX±0.15 .XX±5°
.XXX±0.10




FOR YOUR
VITAL CONNECTION

TITLE: SFP+ 2X8 CAGE+CONNECTOR

DRAWN BY: Zou Long PART NO: S202H23004BA4 REV: A

CHECKED BY: Bob SIZE: A4 UNIT:mm SHEET:3 OF 4 FCN: A4


APPROVED BY: QPF PROJECTION  <http://www.vitalconn.com>

For technical support, please send an email to support@vitalconn.com




REV:	ECN. NO.	NAME	DATE


PACKAGE INFORMATION AND LABEL



1. 5PCS PRODUCTS IN TRAYS




2. 4PCS TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND
PUT IT ON PREVIOUS TRAY.)
(相邻两个吸塑间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR TRAYS:

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	20 PCS
TRAY	4 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)



4. LABEL & PACKAGING TAPES FOR BOX

GENERAL TOLERANCE
.X±0.20 .X±1°
.XX±0.15 .XX±5°
.XXX±0.10

VITALCON
a vital connector company

FOR YOUR
VITAL CONNECTION

TITLE:

SFP+ 2X8 CAGE+CONNECTOR

DRAWN BY:

Zou Long

PART NO:

S202H23004BA4

REV: A

CHECKED BY:

Bob

SIZE: A4

UNIT:mm


SHEET:4 OF 4

FCN: A4

APPROVED BY:

QPF

PROJECTION



<http://www.vitalconn.com>

For technical support, please send an email to support@vitalconn.com