






| REV: | ECN. NO. | NAME | DATE |
|------|----------|------|------|
|      |          |      |      |
|      |          |      |      |

#### NOTES:

MATERIAL:  
CAGE: COPPER ALLOY  
CONNECTOR:  
PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.  
LIGHT PIPE: POLYCARBONATE; COLOR: CLEAR  
SPRING: STAINLESS STEEL  
CONTACTS: PHOSPHOR BRONZE  
CONTACT PLATING: 15u" MIN. GOLD ON MATING AREA,  
150u" MATTE TIN ON SOLDER TAILS  
PACKAGING: TRAY PACKAGING.  
TEMPERATURE RANGE: -40°C TO +85°C



CONNECTOR PIN-OUT  
COMPONENT SIDE OF BOARD

GENERAL TOLERANCE  
.X±0.20 .X±1°  
.XX±0.15 .XX±5°  
.XXX±0.10



FOR YOUR  
VITAL CONNECTION

TITLE:

SFP+ 2X1 CAGE+CONNECTOR

DRAWN BY: Zou Long

PART NO:

S2N3A23006BA4

REV: A

CHECKED BY: Bob

SIZE: A4


UNIT:mm

SHEET:1 OF 4

FCN: A4

APPROVED BY: QPF

PROJECTION



<http://www.vitalconn.com>


For technical support, please send an email to [support@vitalconn.com](mailto:support@vitalconn.com)



| REV: | ECN. NO. | NAME | DATE |
|------|----------|------|------|
|      |          |      |      |
|      |          |      |      |

NOTES:

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. 1.05 mm DIAMETER HOLES ARE CHASSIS GROUND .



ECOMMENED PCB CONFIGURATION

THE HATCHED AREA IN THIS VIEW INDICATES ZONES THAT ARE OCCUPIED BY THE PLASTIC HOUSING THAT SEATS AGAINST THE PCB AND BY THE VERTICAL METAL CAGE WALL THAT STOPS JUST SHORT OF THE PCB

GENERAL TOLERANCE  
.X±0.20 .X±1°  
.XX±0.15 .XX±5°  
.XXX±0.10




FOR YOUR  
VITAL CONNECTION

TITLE: SFP+ 2X1 CAGE+CONNECTOR

DRAWN BY: Zou Long PART NO: S2N3A23006BA4 REV: A



CHECKED BY: Bob SIZE: A4 UNIT:mm SHEET:2 OF 4 FCN: A4

APPROVED BY: QPF PROJECTION  <http://www.vitalconn.com>

For technical support, please send an email to [support@vitalconn.com](mailto:support@vitalconn.com)




| REV: | ECN. NO. | NAME | DATE |
|------|----------|------|------|
|      |          |      |      |
|      |          |      |      |



0.0±0.10  
BEZEL OPENING  
ABOVE TOP  
OF PC BOARD

DETAIL K  
2:1

RECOMMENDED BEZEL DESIGN



GENERAL TOLERANCE  
.X±0.20 .X±1°  
.XX±0.15 .XX±5°  
.XXX±0.10

**Vitalconn**  
a vital connector company

FOR YOUR  
VITAL CONNECTION

TITLE:

SFP+ 2X1 CAGE+CONNECTOR

DRAWN BY:

Zou Long

PART NO:

S2N3A23006BA4

REV: A

CHECKED BY:

Bob

SIZE: A4

UNIT:mm


SHEET:3 OF 4

FCN: A4

APPROVED BY:

QPF

PROJECTION




<http://www.vitalconn.com>

For technical support, please send an email to [support@vitalconn.com](mailto:support@vitalconn.com)




| REV: | ECN. NO. | NAME | DATE |
|------|----------|------|------|
|      |          |      |      |
|      |          |      |      |


## PACKAGE INFORMATION AND LABEL




1. PRODUCTS IN TRAYS



2. TRAYS OVERLAY:  
(THE NEXT TRAY NEED ROTATE 180 DEGREE  
AND  
PUT IT ON PREVIOUS TRAY.)  
(相邻两个吸塑间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR TRAYS:



4. LABEL & PACKAGING TAPES FOR BOX

| PACKAGING LISTS       |             |
|-----------------------|-------------|
| ITEM                  | Q'TY        |
| PRODUCT               | 120 PCS     |
| TRAY                  | 6 PCS       |
| BOX(L340*W265*H200MM) | 1 PCS       |
| LABLE                 | 2 PCS       |
| PACKAGING TAPES       | 8 M (ABOUT) |

GENERAL TOLERANCE  
.X±0.20 .X±1°  
.XX±0.15 .XX±5°  
.XXX±0.10

**VITALCONN**  
a vital connector company

FOR YOUR  
VITAL CONNECTION

TITLE:

SFP+ 2X1 CAGE+CONNECTOR

DRAWN BY: Zou Long

PART NO:

S2N3A23006BA4

REV: A

CHECKED BY: Bob

SIZE: A4


UNIT:mm

SHEET:4 OF 4

FCN: A4

APPROVED BY: QPF

PROJECTION



<http://www.vitalconn.com>

For technical support, please send an email to [support@vitalconn.com](mailto:support@vitalconn.com)